


Test Verification of Conformity


Verification Number: 220216103GZU -VOC001

On the basis of the referenced test report(s), sample(s) tested of the below product have been found to comply with the standards harmonized with the directives listed on this verification at the time the tests were carried out. Other standards and Directives may be relevant to the product. This verification is part of the full test report(s) and should be read in conjunction with it <them>.

Once compliance with all product relevant  mark directives are verified, including any relevant e.g. risk assessment and production control, the manufacturer may indicate compliance by signing a Declaration of Conformity themselves and applying the mark to products identical to the tested sample(s).

Applicant Name & Address:	Havells India Ltd. QRG Towers, 2D, Sector 126, Noida Expressway, NOIDA-201304, INDIA.
Product Description:	Grid-tied Solar inverter
Ratings & Principle Characteristics:	See Appendix: Test Verification of Conformity
Models/Type References:	enviro GTi 3300TX-NG, enviro GTi 4400TX-NG, enviro GTi 5000TX-NG-A, enviro GTi 5500TX-NG, enviro GTi 6600TX-NG, enviro GTi 8800TX-NG, enviro GTi 8800TX-NG-A, enviro GTi 11000TX-NG, enviro GTi 10000TX-NG, enviro GTi 11000TX-NG-A, enviro GTi 12000TX-NG
Brand Name:	HAVELLS
Relevant Standards/Directives:	IEC/EN 62109-1: 2010 Safety of power converters for use in photovoltaic power systems – Part 1: General requirements IEC/EN 62109-2: 2011 Safety of power converters for use in photovoltaic power systems – Part 2: Particular requirements for inverters Low Voltage Directive 2014/35/EU
Verification Issuing Office Name & Address:	Intertek Testing Services Shenzhen Ltd. Guangzhou Branch. Room 02, & 101/E201/E301/E401/E501/E601/E701/E801 of Room 01 1-8/F., No. 7-2. Caipin Road, Science City, GETDD, Guangzhou, Guangdong, China
Date of Tests:	16 Feb 2022 – 03 Mar 2022
Test Report Number(s):	220216103GZU-001, 220216103GZU-002

Additional information in Appendix.



Signature

Name: Jason Fu

Position: Supervisor


Date: 07 Mar 2022

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number: 220216103GZU -VOC001.

MODEL	enviro GTi 3300TX-NG	enviro GTi 4400TX-NG	enviro GTi 5000TX- NG-A	enviro GTi 5500TX- NG
Max PV voltage	1100Vdc			
MPPT Voltage range	140-1000Vdc			
Max. input current	15/15A			
PV Isc	22.5/22.5A			
Rated power(W)	3000	4000	5000	5000
Max.apparent power (VA)	3300	4400	5000	5500
Max output current	3x5.0 A	3x6.7 A	3x7.6 A	3x8.3 A
Output voltage	3W/N/PE 220Vac/380Vac, 230Vac/400Vac			
Nominal Frequency	50/60 Hz			
Power Factor	1 default (adjustable+/-0.8)			
Ambient Temperature	-30°C - +60°C			
Protection Degree	IP65			
Protection Class	Class I			
Software Version	V000001			



Signature

Name: Jason Fu

Position: Supervisor


Date: 07 Mar 2022

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number: 220216103GZU -VOC001.

MODEL	enviro GTi 6600TX-NG	enviro GTi 8800TX-NG	enviro GTi 8800TX- NG-A	enviro GTi 10000TX-NG
Max PV voltage	1100Vdc			
MPPT Voltage range	140-1000Vdc			
Max. input current	15/15A		15/30A	
PV Isc	22.5/22.5A		22.5A/45A	
Rated power(W)	6000	8000	8000	10000
Max.apparent power (VA)	6600	8800	8800	10000
Max output current	3×10.0 A	3×13.3 A	3×13.3 A	3×15.2 A
Output voltage	3W/N/PE 220Vac/380Vac, 230Vac/400Vac			
Nominal Frequency	50/60 Hz			
Power Factor	1 default (adjustable+/-0.8)			
Ambient Temperature	-30 °C - +60 °C			
Protection Degree	IP65			
Protection Class	Class I			
Software Version	V000001			



Signature

Name: Jason Fu

Position: Supervisor

Date: 07 Mar 2022

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

APPENDIX: Test Verification of Conformity

This is an Appendix to Test Verification of Conformity Number: 220216103GZU -VOC001.

MODEL	enviro GTi 11000TX-NG	enviro GTi 11000TX-NG-A	enviro GTi 12000TX-NG
Max PV voltage	1100Vdc		
MPPT Voltage range	140-1000Vdc		
Max. input current	15A/15A	15A/30A	
PV Isc	22.5/22.5A	22.5A/45A	
Rated power(W)	10000	10000	12000
Max.apparent power (VA)	11000	11000	13200
Max output current	3×16.7 A	3×16.7 A	3×20.0 A
Output voltage	3W/N/PE 220Vac/380Vac, 230Vac/400Vac		
Nominal Frequency	50/60 Hz		
Power Factor	1 default (adjustable+/-0.8)		
Ambient Temperature	-30°C - +60°C		
Protection Degree	IP65		
Protection Class	Class I		
Software Version	V000001		

Jason Fu

Signature

Name: Jason Fu

Position: Supervisor

Date: 07 Mar 2022

This Verification is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to permit copying or distribution of this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test/inspection results referenced in this Verification are relevant only to the sample tested/inspected. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.